wherein, both  $X^3$  and  $X^{3'}$  are selected independently from each other from the group consisting of N, O, S or CHL';

Y is O, S or NR<sup>4</sup>, whereby R<sup>4</sup> is H or an unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, an unsubstituted or substituted aryl or heteroaryl;

n' is an integer from 0 to 5, preferably between 1-3 and most preferred 3;

L and L' are independently selected from the group comprising or consisting of H, unsubstituted or substituted  $C_1$ - $C_6$ -aliphatic alkyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkynyl, unsubstituted or substituted cyclic  $C_4$ - $C_8$ -alkyl, optionally containing 1-3 heteroatoms and optionally fused with aryl or heteroaryl; or L is an unsubstituted or substituted aryl or heteroaryl, aryl- $C_1$ - $C_6$ -alkyl, heteroaryl- $C_1$ - $C_6$ -alkyl, -C(O)- $OR^5$ , -C(O)- $R^5$ , -C(O)- $R^5$ ', - $R^5$ ', -

whereby,  $R^5$  and  $R^{5'}$  are substituents being independently selected from the group comprising or consisting of H, unsubstituted or substituted  $C_1$ - $C_6$ -alkyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkynyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, unsubstituted or substituted aryl- $C_1$ - $C_6$ -alkyl, unsubstituted or substituted heteroaryl- $C_1$ - $C_6$ -alkyl;

said aryl or heteroaryl groups being optionally substituted by unsubstituted or sub-stituted  $C_1$ - $C_6$ -alkyl, like trihalomethyl, unsubstituted or substituted  $C_1$ - $C_6$ -alkoxy, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted  $C_2$ - $C_6$ -alky-nyl, amino, aminoacyl, aminocarbonyl, unsubstituted or substituted  $C_1$ - $C_6$ -alkoxy-carbonyl, aryl, carboxyl, cyano, halogen, hydroxy, nitro, sulfoxy, sulfonyl,  $C_1$ - $C_6$ -thioalkoxy.

- 4. (Amended) A sulfonyl hydrazide derivative according to claim 1, wherein Ar<sup>1</sup> and/or Ar<sup>2</sup> are independently selected from the group consisting of phenyl, thienyl, furyl, pyridyl, pyrazolyl, pyrimidinyl, imidazolyl, naphthyl, quinolyl, optionally substituted by unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, in particular tri-halomethyl, unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub>-alkoxy, unsubstituted or substituted C<sub>2</sub>-C<sub>6</sub>-alkenyl, unsubstituted or substituted C<sub>2</sub>-C<sub>6</sub>-alkynyl, amino, acylamino, amino-carbonyl, unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub>-alkoxycarbonyl, aryl, carboxyl, cyano, halogen, hydroxy, nitro, sulfoxy, sulfonyl, C<sub>1</sub>-C<sub>6</sub>-thioalkoxy.
- 5. (Amended) A sulfonyl hydrazide derivative according to claim 1, wherein  $Ar^1$  is a substituted or unsubstituted phenyl, preferably 4-chlorophenyl,  $X^1$  and  $X^2$  are O, while  $R^1$ ,  $R^2$ ,  $R^3$  are all hydrogen, n is 1,  $Ar^2$  is thienyl, G is selected from

$$S$$
 $N = C$ 
 $CH_2)_3 = N - L$ 
or

whereby L is as above defined.

6. (Amended) A sulfonyl hydrazide derivative according to claim 1, wherein G is

$$--(CH2)3--N---L$$

whereby L is as above defined, with most preferred groups L being substituted or unsubstituted pyridyl groups.

8. (Amended) A sulfonyl hydrazide derivative according to claim 1 selected from the following group:

4-chloro-N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-yl}carbonyl)-hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

```
4-chloro-N-{[5-({2-[(2-phenyl-1,3-thiazol-4-
yl)carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide
       4-chloro-N-{[5-({2-[(2-{[(4-chlorophenyl)sulfonyl]methyl}-1,3-thiazol-4-yl)-
carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide
       4-chloro-N-{[5-({2-[(2-methyl-1,3-thiazol-4-
yl)carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide
       4-chloro-N-[(5-{[2-({2-[4-(1H-pyrrol-1-yl)phenyl]-1,3-thiazol-4-
yl}carbonyl)-hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
       4-chloro-N-[(5-{[2-({2-[(4,5-dichloro-1H-imidazol-1-yl)methyl]-1,3-thiazol-
4-yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
       4-chloro-N-[(5-{[2-({2-[5-(trifluoromethyl)pyridin-2-yl]-1,3-thiazol-4-yl}car-
bonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
       4-chloro-N-[(5-{[2-({2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]-1,3-thiazol-
4-yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
       4-chloro-N-[(5-{[2-({2-[2-chloro-4-(trifluoromethyl)phenyl]-1,3-thiazol-4-
yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
       4-chloro-N-[(5-{[2-({2-[4-(trifluoromethyl)pyridin-3-yl]-1,3-thiazol-4-yl}-
carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
       4-chloro-N-(\{5-[(2-\{[2-(2,3-dichloropheny])-1,3-thiazol-4-y]\}carbonyl\}-
hydrazino)sulfonyl]thien-2-yl}methyl)benzamide
       4-chloro-N-{[5-({2-[(2-{[(2-furylmethyl)sulfonyl]methyl}-1,3-thiazol-4-
yl)carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide
       4-chloro-N-[(5-{[2-({2-[(2-chlorophenoxy)methyl]-1,3-thiazol-4-
yl}carbonyl)-hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
```

4-chloro-N-({5-[(2-{[2-(2,6-dichlorobenzyl)-1,3-thiazol-4-

yl]carbonyl}hydrazino)-sulfonyl]thien-2-yl}methyl)benzamide

~x~

N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-

yl}carbonyl)hydrazino]-sulfonyl}thien-2-yl)methyl]-3-nitrobenzamide

N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-

yl}carbonyl)hydrazino]-sulfonyl}thien-2-yl)methyl]-3-methoxybenzamide

N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-

yl}carbonyl)hydrazino]-sulfonyl}thien-2-yl)methyl]-4-nitrobenzamide

N'-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-5-[(1,3-

dioxo-1,3-dihydro-2H-isoindol-2-yl)methyl]thiophene-2-sulfonohydrazide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]-4-nitrobenzamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]-3-hydroxybenzamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]-2-hydroxybenzamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]-2-furamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]-2-thien-2-ylacetamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-

hydrazino]sulfonyl}thien-2-yl)methyl]-1-naphthamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-2-naphthamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-4-methylbenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-4-ethylbenzamide$ 

4-tert-butyl-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-2-fluorobenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-3-fluorobenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-4-fluorobenzamide$ 

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]-2,6-difluorobenzamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ hydrazino]sulfonyl\}thien-2-yl)methyl]-3,5-difluorobenzamide$ 

 $2-chloro-N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}-butanoyl)hydrazino]sulfonyl\}thien-2-yl)methyl]benzamide$ 

3-chloro-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-4-iodobenzamide$ 

 $2,6-dichloro-N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}-butanoyl)hydrazino]sulfonyl\}thien-2-yl)methyl]benzamide$ 

 $3,5-dichloro-N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}-butanoyl)hydrazino]sulfonyl\}thien-2-yl)methyl]benzamide$ 

 $2-bromo-N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}-butanoyl)hydrazino]sulfonyl\}thien-2-yl)methyl]benzamide$ 

 $3-bromo-N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}-butanoyl)hydrazino]sulfonyl\}thien-2-yl)methyl]benzamide$ 

4-bromo-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-2-iodobenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-3-nitrobenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-2-nitrobenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-4-(dimethylamino)benzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-3-methoxybenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-2-methoxybenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-4-methoxybenzamide$ 

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]-2,6-dimethoxybenzamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-3,5-dimethoxybenzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-2-(trifluoromethyl)benzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-3-(trifluoromethyl)benzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\$   $hydrazino]sulfonyl\}thien-2-yl)methyl]-4-(trifluoromethyl)benzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-3,5-bis(trifluoromethyl)benzamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]nicotinamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]isonicotinamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ hydrazino]sulfonyl\}thien-2-yl)methyl]-4-hydroxybenzamide$ 

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]-3,4-dihydroxybenzamide

 $3,4-diamino-N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}-butanoyl)hydrazino]sulfonyl\}thien-2-yl)methyl]benzamide$ 

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]pyridine-2-carboxamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-6-hydroxypyridine-2-carboxamide 6-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]nicotinamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino|sulfonyl}thien-2-yl)methyl]-2-sulfanylnicotinamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-6-sulfanylnicotinamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-2,6-dihydroxyisonicotinamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-5-nitro-1H-pyrazole-3-carboxamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-2-hydroxy-6-methoxybenzamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-8-hydroxyquinoline-7-carboxamide 2-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]nicotinamide N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-4-fluoro-3-nitrobenzamide 2-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]-2,3,4-trihydroxybenzamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ hydrazino]sulfonyl\}thien-2-yl)methyl]-2-oxo-1,2-dihydropyridine-3-carboxamide$ 

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]-2,4-dihydroxybenzamide

N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}thien-2-yl)methyl]-5-hydroxypyridine-2-carboxamide

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}thien-2-yl)methyl]-2,4-dioxo-1,2,3,4-tetrahydropyrimidine-5-carboxamide$ 

 $N-[(5-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}thien-2-yl)methyl]-1\\ \\ H-imidazole-4-carboxamide$ 

4-chloro-N-(4-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-butanoyl)hydrazino]sulfonyl}benzyl)benzamide

 $N-(4-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-hydrazino]sulfonyl\}benzyl)-3-nitrobenzamide$ 

4-chloro-N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-butanoyl)hydrazino]sulfonyl}benzyl)benzamide

N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-hydrazino]sulfonyl}benzyl)benzamide

 $N-(3-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}benzyl)-2-hydroxybenzamide$ 

 $N-(3-\{[2-(4-\{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino\}butanoyl)-\\ \\ hydrazino]sulfonyl\}benzyl)-3-nitrobenzamide.$ 


- 12. (Amended) Use according to claim 10 for the treatment or prevention of disorders associated with the abnormal expression or activity of JNK2 and/or 3.
- 13. (Amended) Use of sulfonyl hydrazides according to formula I in particular according to claim 10 for the treatment of neuronal disorders including epilepsy, Alzheimer's disease, Huntington's disease, Parkinson's disease, retinal diseases, spinal cord injury, head trauma.
- 14. (Amended) Use of sulfonyl hydrazides according to formula I in particular according to claim 10 for the treatment of autoimmune diseases including Multiple Sclerosis, inflammatory bowel disease (IBD), rheumatoid arthritis, asthma, septic shock, transplant rejection.
- 15. (Amended) Use of sulfonyl hydrazides according to formula I in particular according to claim 10 for the treatment of cancer including breast-, colorectal-, pancreatic cancer.
- 16. (Amended) Use of sulfonyl hydrazides according to formula I in particular according to claim 10 for the treatment of cardiovascular diseases including stroke, arterosclerosis, myocordial infarction, myocordial reperfusion injury.

- 17. (Amended) A pharmaceutical composition containing at least one sulfonyl hydrazide derivative according to claim 1 and a pharmaceutically acceptable carrier, diluent or excipient thereof.
- 18. (Amended) Process for the preparation of the sulfonyl hydrazide derivatives according to claim 1 comprising or consisting of the steps of
  - a) preparing a sulfonyl compound V

$$Ar^{1}$$
  $N$   $(CH_{2})_{n}$   $Ar^{2}$   $SO_{2}CI$   $X^{1}$   $R^{1}$ 

V

b) and reacting it with the hydrazide derivative VIII



whereby the substituents  $Ar^1$ ,  $Ar^2$ ,  $R^1$ ,  $R^2$ ,  $R^3$ ,  $X^1$ ,  $X^2$  and G are as defined above.

Please add the following new claims.

19. (New) A sulfonyl hydrazide derivative according to claim 2, wherein G is either

wherein, both  $X^3$  and  $X^3$  are selected independently from each other from the group consisting of N, O, S or CHL';

Y is O, S or NR<sup>4</sup>, whereby R<sup>4</sup> is H or an unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, an unsubstituted or substituted aryl or heteroaryl;

n' is an integer from 0 to 5, preferably between 1-3 and most preferred 3;

L and L' are independently selected from the group comprising or consisting of H, unsubstituted or substituted  $C_1$ - $C_6$ -aliphatic alkyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted cyclic  $C_4$ - $C_8$ -alkyl, optionally containing 1-3 heteroatoms and optionally fused with aryl or heteroaryl; or L is an unsubstituted or substituted aryl or heteroaryl, aryl- $C_1$ - $C_6$ -alkyl, heteroaryl- $C_1$ - $C_6$ -alkyl, -C(O)- $OR^5$ , -C(O)- $R^5$ , -C(O)- $NR^5$ ' $R^5$ , - $NR^5$ ' $R^5$ , - $NR^5$ ' $R^5$ , - $R^5$ ' $R^5$ ' $R^5$ , - $R^5$ ' $R^5$ ' $R^5$ , - $R^5$ ' $R^5$ 

whereby,  $R^5$  and  $R^{5'}$  are substituents being independently selected from the group comprising or consisting of H, unsubstituted or substituted  $C_1$ - $C_6$ -alkyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkynyl, unsubstituted or substituted aryl, unsubstituted or substituted heteroaryl, unsubstituted or substituted aryl- $C_1$ - $C_6$ -alkyl, unsubstituted or substituted heteroaryl- $C_1$ - $C_6$ -alkyl;

said aryl or heteroaryl groups being optionally substituted by unsubstituted or sub-stituted  $C_1$ - $C_6$ -alkyl, like trihalomethyl, unsubstituted or substituted  $C_1$ - $C_6$ -alkoxy, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted  $C_2$ - $C_6$ -alky-nyl, amino, aminoacyl, aminocarbonyl, unsubstituted or substituted  $C_1$ - $C_6$ -alkoxy-carbonyl, aryl, carboxyl, cyano, halogen, hydroxy, nitro, sulfoxy, sulfonyl,  $C_1$ - $C_6$ -thioalkoxy.

20. (New) A sulfonyl hydrazide derivative according to claim 2, wherein Ar<sup>1</sup> and/or Ar<sup>2</sup> are independently selected from the group consisting of phenyl, thienyl, furyl, pyridyl, pyrazolyl, pyrimidinyl, imidazolyl, naphthyl, quinolyl, optionally substituted by unsubstituted

or substituted  $C_1$ - $C_6$ -alkyl, in particular tri-halomethyl, unsubstituted or substituted  $C_1$ - $C_6$ -alkoxy, unsubstituted or substituted  $C_2$ - $C_6$ -alkenyl, unsubstituted or substituted  $C_2$ - $C_6$ -alkynyl, amino, acylamino, amino-carbonyl, unsubstituted or substituted  $C_1$ - $C_6$ -alkoxycarbonyl, aryl, carboxyl, cyano, halogen, hydroxy, nitro, sulfoxy, sulfonyl,  $C_1$ - $C_6$ -thioalkoxy.

21. (New) A sulfonyl hydrazide derivative according to claim 2, wherein  $Ar^1$  is a substituted or unsubstituted phenyl, preferably 4-chlorophenyl,  $X^1$  and  $X^2$  are O, while  $R^1$ ,  $R^2$ ,  $R^3$  are all hydrogen, n is 1,  $Ar^2$  is thienyl, G is selected from

$$S$$
 $N = (CH_2)_3 - N - L$ 
or

whereby L is as above defined.

22. (New) A sulfonyl hydrazide derivative according to claim 2, wherein G is

whereby L is as above defined, with most preferred groups L being substituted or unsubstituted pyridyl groups.

- 23. (New) A sulfonyl hydrazide derivative according to claim 22, wherein L is a substituted or unsubstituted pyridyl group.
- 24. (New) A sulfonyl hydrazide derivative according to claim 2 selected from the following group:

4-chloro-N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-yl}carbonyl)-hydrazino]sulfonyl}thien-2-yl)methyl]benzamide

4-chloro-N-{[5-({2-[(2-phenyl-1,3-thiazol-4-yl)carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide

4-chloro-N-{[5-({2-[(4-chlorophenyl)sulfonyl]methyl}-1,3-thiazol-4-yl)-carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide

```
4-chloro-N-{[5-({2-[(2-methyl-1,3-thiazol-4-yl)carbonyl]hydrazino}sulfonyl)thien-2-
yl]methyl}benzamide
4-chloro-N-[(5-{[2-({2-[4-(1H-pyrrol-1-yl)phenyl]-1,3-thiazol-4-yl}carbonyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-[(5-{[2-({2-[(4,5-dichloro-1H-imidazol-1-yl)methyl]-1,3-thiazol-4-
yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-[(5-{[2-({2-[5-(trifluoromethyl)pyridin-2-yl]-1,3-thiazol-4-yl}car-
bonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-[(5-{[2-({2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]-1,3-thiazol-4-
yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-[(5-{[2-({2-[2-chloro-4-(trifluoromethyl)phenyl]-1,3-thiazol-4-
yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-[(5-{[2-({2-[4-(trifluoromethyl)pyridin-3-yl]-1,3-thiazol-4-yl}-
carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-(\{5-[(2-\{[2-(2,3-dichlorophenyl)-1,3-thiazol-4-yl]carbonyl\}-
hydrazino)sulfonyl]thien-2-yl}methyl)benzamide
4-chloro-N-\{[5-(\{2-[(2-\{[(2-furylmethyl)sulfonyl]methyl\}-1,3-thiazol-4-
yl)carbonyl]hydrazino}sulfonyl)thien-2-yl]methyl}benzamide
4-chloro-N-[(5-{[2-({2-[(2-chlorophenoxy)methyl]-1,3-thiazol-4-yl}carbonyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-({5-[(2-{[2-(2,6-dichlorobenzyl)-1,3-thiazol-4-yl]carbonyl}hydrazino)-
sulfonyl]thien-2-yl}methyl)benzamide
N-[(5-\{[2-(\{2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-yl\}carbonyl)hydrazino]-
sulfonyl}thien-2-yl)methyl]-3-nitrobenzamide
N-[(5-\{[2-(\{2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-yl\}carbonyl)hydrazino]-
sulfonyl}thien-2-yl)methyl]-3-methoxybenzamide
N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-yl}carbonyl)hydrazino]-
sulfonyl}thien-2-yl)methyl]-4-nitrobenzamide
N'-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-5-[(1,3-dioxo-1,3-
dihydro-2H-isoindol-2-yl)methyl]thiophene-2-sulfonohydrazide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-nitrobenzamide
```

```
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3-hydroxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-hydroxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-furamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl]-2-thien-2-ylacetamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-1-naphthamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-naphthamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-methylbenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-ethylbenzamide
4-tert-butyl-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-fluorobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3-fluorobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-fluorobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2,6-difluorobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3,5-difluorobenzamide
2-chloro-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
```

```
3-chloro-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-iodobenzamide
2,6-dichloro-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino|sulfonyl}thien-2-yl)methyl]benzamide
3,5-dichloro-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
2-bromo-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino|sulfonyl}thien-2-yl)methyl]benzamide
3-bromo-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-bromo-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino|sulfonyl}thien-2-yl)methyl|benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-iodobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3-nitrobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-nitrobenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-(dimethylamino)benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3-methoxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-methoxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-...
hydrazino]sulfonyl}thien-2-yl)methyl]-4-methoxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl]-2,6-dimethoxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl]-3,5-dimethoxybenzamide
```

```
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-(trifluoromethyl)benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3-(trifluoromethyl)benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-(trifluoromethyl)benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-3,5-bis(trifluoromethyl)benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]nicotinamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]isonicotinamide
4-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-hydroxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl|thien-2-yl)methyl|-3,4-dihydroxybenzamide
3,4-diamino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl|pyridine-2-carboxamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-6-hydroxypyridine-2-carboxamide
6-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]nicotinamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-sulfanylnicotinamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-6-sulfanylnicotinamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2,6-dihydroxyisonicotinamide
```

```
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl]-5-nitro-1H-pyrazole-3-carboxamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-hydroxy-6-methoxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl]-8-hydroxyquinoline-7-carboxamide
2-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino|sulfonyl}thien-2-yl)methyl]nicotinamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-4-fluoro-3-nitrobenzamide
2-amino-N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2,3,4-trihydroxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2-oxo-1,2-dihydropyridine-3-carboxamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-2,4-dihydroxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-5-hydroxypyridine-2-carboxamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino|sulfonyl}thien-2-yl)methyl]-2,4-dioxo-1,2,3,4-tetrahydropyrimidine-5-
carboxamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)-
hydrazino]sulfonyl}thien-2-yl)methyl]-1H-imidazole-4-carboxamide
4-chloro-N-(4-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}benzyl)benzamide
4-chloro-N-(2-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino]sulfonyl}phenyl)benzamide
4-chloro-N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-
butanoyl)hydrazino|sulfonyl}phenyl)benzamide
```

```
N-(4-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino} butanoyl)-hydrazino]sulfonyl} benzyl)-3-nitrobenzamide
4-chloro-N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}-butanoyl)hydrazino]sulfonyl} benzyl)benzamide
N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino} butanoyl)-hydrazino]sulfonyl} benzyl)benzamide
N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino} butanoyl)-hydrazino]sulfonyl} benzyl)-2-hydroxybenzamide
N-(3-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino} butanoyl)-hydrazino]sulfonyl} benzyl)-3-nitrobenzamide
```

25. (New) A sulfonamide derivative according to claim 24, which is selected from the group consisting of

```
4-chloro-N-[(5-{[2-({2-[4-(1,3-dithiolan-2-yl)phenyl]-1,3-thiazol-4-yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
4-chloro-N-[(5-{[2-({2-[(2-chlorophenoxy)methyl]-1,3-thiazol-4-yl}carbonyl)hydrazino]sulfonyl}thien-2-yl)methyl]benzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-2-hydroxybenzamide
N-[(5-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}thien-2-yl)methyl]-2-oxo-1,2-dihydropyridine-3-carboxamide
4-chloro-N-(4-{[2-(4-{[3-chloro-5-(trifluoromethyl)pyridin-2-yl]amino}butanoyl)hydrazino]sulfonyl}benzyl)benzamide.
```

- 26. (New) A pharmaceutical composition containing at least one sulfonyl hydrazide derivative according to claim 2 and a pharmaceutically acceptable carrier, diluent or excipient thereof.
- 27. (New) Process for the preparation of the sulfonyl hydrazide derivatives according to claim 2 comprising or consisting of the steps of
- c) preparing a sulfonyl compound V

$$Ar^{1} \frac{1}{X^{1}} \frac{N}{R^{1}} - (CH_{2})_{n} Ar^{2} SO_{2}CI$$

VIII

d) and reacting it with the hydrazide derivative VIII

whereby the substituents  $Ar^1$ ,  $Ar^2$ ,  $R^1$ ,  $R^2$ ,  $R^3$ ,  $X^1$ ,  $X^2$  and G are as defined above.